Strive for 5

Minimum/maximum vaccine refrigerator temperature chart





A joint Australian, State and Territory Government Initiative

ocatic	on of re	efig	jerat	or								М	onth					Ye	ar																	
Day of month	1 AM PM	_	2 1 PM	3 AM P	M AM	\rightarrow	5 AM PM	6 AM PM	7 AM	_	8 M PM	9 AM PM	10 AM PM	11 AM		12 PM	13 AM PM	14 AM PI	15 M AM		16 M PM	17 AM PM	18 AM PM	19 AM PM	20 AM PM	21 AM PM	22 AM PM	23 AM P		-	26	27 AM PM	28 AM PM	29 AM PM	30 AM PM	31 AM PM
Record nax. emp																																				
+12																																				
+11 +10														W	Δ F	3 V	4	$\Gamma \Delta$	\K		IN		ΞD			A										
+9																																				
+8 +7																																				
+6 +5																			17	1			-		Ь											
+4																	K		Ψ						K											
+3 +2																																				
+1																																				
0 –1													0	C		Б		- /\	KI		M	M	ΞD	IA		Δ(71		N							
-2																																				
ecord in. mp																																				
nitials																																				
	1		2	3	4	1	5	6	7		8	9	10	11		12	13	14	15	5	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

Instructions for use



CHECK temperatures twice a day in the morning and afternoon



RECORD and plot maximum, minimum and current temperatures on chart



RESET temperature monitoring device after recording temperatures




ACT if temperature out of range as per cold chain breach steps

Date	
Audited by	
Cleaning date	

Take immediate corrective action and record on the other side of this chart

COLD CHAIN BREACH STEPS (refer to Appendix 3 in Strive for 5)

- 1. Immediately isolate the vaccines and prepare to transfer them into temporary monitored vaccine storage, if necessary. Start conditioning ice packs/gel packs.
- 2. Keep vaccines refrigerated between +2°C and +8°C for as long as possible, and label them 'Do not use' while preparing to
- 3. Contact your state or territory health department as soon as possible (during business hours).
- 4. Do not discard any vaccine until advised to do so by your state or territory health department.
- Take steps to correct the problem and to prevent it from recurring.
- 6. For privately purchased vaccines, contact the manufacturer for advice.
- 7. Record fridge temperature issues and actions on the flipside of this chart.
- 8. Determine if anyone has received compromised vaccine. Discuss your revaccination requirements with your state or territory health department.



Copies of this chart can be ordered or downloaded from the Australian Government Department of Health website: www.health.gov.au/immunisation.

Vaccine storage troublesheet

Date	Time	Max./min. temperatures	Problem	Action taken	Results	Initials