Barriers to Successful Programs

Overcoming the Stigma of Needle Syringe Use

Shasi Johnston | Harm Reduction Officer North Coast Harm Reduction Service/NSP North Coast Public Health Unit



80% of PWID have experienced discrimination within a health care setting




Discrimination: Treating someone differently (generally unfairly) than other people because they have a particular characteristic

Stigma: General negative attitude that is directed at people because of their beliefs or behaviours



What are some <u>words</u> that you've heard to describe people who use/inject drugs?





Video Part 1



Impacts of Stigma on the Individual

- Direct impact on physical health from chronic stress
- > Avoidance of Services:
 - > Fear of poor treatment
 - ➤ Hide drug use
 - > Reduce accurate reporting of health issues
- Physical health impacts, i.e. abscess, mental health, dental, etc



Impacts of Stigma on the Community

- > Fundamental cause of population inequalities
 - Influences physical and mental health outcomes for significant portion of community
 - > Disrupts access to protective factors against poor health
 - Creates new mechanisms for reproduction of health inequalities





Myths about Stigma

> Belief that stigma is useful as a deterrent to drug use



Myths about Stigma

> Belief that stigma is useful as a deterrent to drug use



No Evidence

Stigma is an effective deterrent

Evidence

Stigma causes individual and community level harm



Factors that Impact Health

- Being able to <u>trust</u> a service is a remarkable/uncommon event for PWID/PLWHCV
- > Trust is important for better service outcomes
- ➤ A service that recognises the rights of people to access services and maintain their health without fear of repercussion



Video Part 2



What does a PWID attending a health service demonstrate?



Why <u>haven't</u> more pharmacists <u>participated</u> in needle and syringe distribution?



What <u>support</u> would you <u>need</u> to <u>participate</u> in needle and syringe distribution?



Thank you

Shasi Johnston

Shasikala.Johnston@ncahs.health.nsw.gov.au 0414 272 753

Harm Reduction Officer
North Coast Public Health Unit



- 1) What percentage of PWID have experienced discrimination within a healthcare setting?
 - a) 30%
 - b) 50%
 - c) 80%
 - d) None of the above



- 2) How old was Sue (video) when she first started using drugs?
 - a) 9 years old
 - b) 16 years old
 - c) 21 years old
 - d) 30 years old



- 3) What are some of the impacts of stigma on the individual?
 - a) no impact
 - b) avoidance of services
 - c) stress, avoidance of services, physical health impacts
 - d) physical health impacts



- 4) Based on the research, is stigma a deterrent to drug use?
 - a) Yes
 - b) No
 - c) Maybe
 - d) No evidence



- 5) What factor generates better service outcomes for PWID?
 - a) Efficiency
 - b) Friendliness
 - c) Trust
 - d) Reliability

